



**Atmosphere
Dynamics Corp**

SAFETY DATA SHEET

Section 1 - Identification

Manufacturer's Name & Address

Atmosphere Dynamics Corporation
1107 St Joseph Street
Shelbyville, Indiana 46176 USA

Telephone Number

317.392.6262

FAX Number

317.392.1773

GHS Product Identifier

Ammonia Dissociator Catalyst

Trade Names and Synonyms

Iron (Fe₂O₃) Impregnated Refractory
Iron Catalyst Spheres

Product Numbers

ICS01 thru ICS03

Recommended Use

Catalyst

Recommended Restrictions

None known

Section 2 - Hazard(s) Identification

OSHA/HCS Status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Health Hazards:

SPECIFIC TARGET ORGAN TOXICITY – Category 1
(Repeated Exposure)
CARCINOGEN – Category 1A
SENSITIZATION, SKIN / RESPIRATORY – Category 1

GHS Label Elements:



Signal Word: **DANGER**

Hazard Statement: Health hazards, including cancer, may arise from inhalation of dust generated from handling, ingestion and/or contact with skin and/or eyes

Prevention: Do not breathe dust
Wash thoroughly after handling
Do not handle until all safety precautions have been read
Wear respiratory protection

Response: If exposed or concerned, get medical advice or attention

Storage: No precautions needed

Disposal: Dispose of contents in accordance with all local, regional, national, and international regulations

Hazards not otherwise

Classified: None known

Section 3 – Composition / Information on Ingredients

Mixture

| <u>Ingredient Name</u> | <u>CAS Number</u> | <u>%</u> |
|-------------------------------|--------------------------|-----------------|
| Aluminum Oxide, Al_2O_3 | 1344-28-1 | 70-80 |
| Silica, SiO_2 | 7631-86-9 | 10-20 |
| as Crystalline Quartz | 14808-60-7 | |
| as Crystalline Cristobalite | 14464-46-1 | |
| Iron Oxide, Fe_2O_3 | 1309-37-1 | 3-5 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4 – First Aid Measures

Inhalation: Remove to fresh air. May give oxygen. Consult physician.

Eye Contact: Flush eyes with copious amounts of water, at least 15 minutes.

Skin Contact: Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation or inflammation persists.

Ingestion: Induce vomiting if conscious. Consult physician.

Most important symptoms/effects, acute and delayed
Over-exposure signs/symptoms:

Inhalation: Inhalation of concentrations above the Occupational Exposure Limits may cause congestion and irritation of the throat, nasal passages and upper respiratory system.

Eye Contact: Temporary irritation and inflammation
Check for and remove any contact lenses
If irritation persists, seek medical attention

Skin Contact: May cause allergic dermatitis

Ingestion: May cause stomach and intestinal distress

Indication of immediate medical attention

and special treatment needed: Medical conditions which may be aggravated by exposure include upper respiratory and lung disease such as, but not limited to, bronchitis, emphysema, and asthma.

Section 5 – Fire-fighting Measures

Specific hazards arising from the chemical: None known

Hazardous Decomposition: Decomposition products may include Crystalline Silica. During initial exposure to service temperatures, smoke may be emitted which can cause transitory irritation to the lungs and upper respiratory system. Toxic fumes of nitrogen oxides and metal oxides may be present during decomposition.

Special protective actions for firefighters: Material will not burn
No special firefighting equipment is necessary

Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

No action shall be taken involving any personal risk or without suitable training
Provide adequate ventilation
Wear appropriate respirator when ventilation is inadequate
Put on appropriate personal protective equipment (see section 8)

Methods and materials for containment and cleaning up:

Contain spill. Pick up and place in container for disposal in accordance with Federal, State and Local laws.

Section 7 – Handling and Storage

Precautions for safe handling: Minimize dust generation. Use appropriate respiratory protection if dust is present above exposure limits. Avoid contact with eyes and skin.

Conditions for safe storage: Store in accordance with local regulations.
Store in a dry, cool and well ventilated area, away from incompatible materials (see section 10).

Section 8 – Exposure Controls/Personal Protection

Occupational Exposure Limits:

US OSHA Permissible Exposure Limit:

| | |
|----------------------------------|---|
| Irritant (Nuisance) Dust: | 5.0 mg/m ³ |
| Crystalline Silica (Respirable): | <u>10 mg/m³</u> %SiO ₂ + 2 |
| Crystalline Silica (Total Dust): | <u>30 mg/m³</u> %SiO ₂ + 2 |
| Iron Oxide: | 1.0 mg/m ³ |

US ACGIH Threshold Limit Values:

| | |
|---------------------------|-------------------------|
| Irritant (Nuisance) Dust: | 3.0 mg/m ³ |
| Crystalline Silica: | 0.025 mg/m ³ |
| Iron Oxide: | 0.2 mg/m ³ |

Appropriate Engineering Controls:

If user operations generate dust, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual Protection Measures:

| | |
|----------------------------|--|
| <u>Respiratory:</u> | Wear a NIOSH-approved dust mask to limit exposure. Higher dust levels may require use of a half or full mask respirator with dust filters. |
| <u>Eye/Face:</u> | Wear safety glasses with side shields or goggles complying with an approved standard to avoid exposure to dust. |
| <u>Skin:</u> | Protective gloves complying with an approved standard should be worn when handling chemical products. |

| |
|---|
| Section 9 – Physical and Chemical Properties |
|---|

| | |
|---|-------------------------|
| <u>Appearance</u> | Brown/Red Solid Spheres |
| <u>Physical State</u> | Solid |
| <u>Color</u> | Brown/Red |
| <u>Odor</u> | None |
| <u>Odor Threshold</u> | Not Applicable |
| <u>pH</u> | Not Applicable |
| <u>Melting Point</u> | 2900-3400 Deg. F |
| <u>Boiling Point</u> | N/A |
| <u>Flash Point</u> | None |
| <u>Burning Time</u> | Not Applicable |
| <u>Specific Gravity</u> | N/A |
| <u>Burning Rate</u> | Not Applicable |
| <u>Evaporation Rate</u> | 0 (butyl acetate = 1) |
| <u>Flammability (solid, gas)</u> | Not Applicable |
| <u>Lower Explosive (flammable) Limit</u> | Not Available |
| <u>Upper Explosive (flammable) Limit</u> | Not Available |
| <u>Vapor Pressure</u> | Not Applicable |
| <u>Vapor Density</u> | Not Applicable |
| <u>Relative Density</u> | Not Available |

| | |
|---|---------------|
| <u>Solubility</u> | Insoluble |
| <u>Solubility in Water</u> | Insoluble |
| <u>Partition Coefficient: n-octanol/water</u> | Not Available |
| <u>Auto-ignition Temperature</u> | Not Available |
| <u>Decomposition Temperature</u> | Not Available |
| <u>SADT</u> | Not Available |
| <u>Viscosity</u> | Not Available |

Section 10 – Stability and Reactivity

| | |
|--|---|
| <u>Reactivity:</u> | The product is stable and non-reactive under normal conditions |
| <u>Chemical Stability:</u> | Stable under normal temperature conditions |
| <u>Possibility of Hazardous Reactions:</u> | Under normal conditions of storage and use, hazardous reactions or polymerization will not occur |
| <u>Conditions to Avoid:</u> | Avoid strong acids and ammonium salts. Contact with strong oxidizing agents (such as fluorine, chlorine trifluoride) may present a fire hazard. |
| <u>Incompatible Materials:</u> | Hydrofluoric acid, fluorine, chlorine trifluoride, oxygen difluoride |
| <u>Hazardous Decomposition Materials:</u> | Nitrogen oxides and metal oxides may be present during decomposition |

Section 11 – Toxicological Information

Information on likely routes of exposure

| | |
|----------------------|--|
| <u>Ingestion:</u> | May irritate and cause stomach pain, vomiting and diarrhea |
| <u>Inhalation:</u> | May cause allergic respiratory reaction |
| <u>Skin contact:</u> | May cause an allergic skin reaction |
| <u>Eye contact:</u> | May irritate eyes |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product: No data available

Dermal Product: No data available

Inhalation

Product: No data available

Repeated dose

toxicity product: No data available

Skin corrosion/

irritation

product: May cause skin irritation

Eye damage/

irritation

product: May cause temporary eye irritation

Respiratory or

skin sensitization

product: May cause allergic skin reaction

Carcinogenicity

product: NTP- In its twelfth annual report on Carcinogens, respirable crystalline silica and nickel oxide were classified as known human carcinogens.

IARC (Volume 68) – There is sufficient evidence in humans for the carcinogenicity of nickel oxide and inhaled crystalline silica in the form of quartz or cristobalite from occupational sources.

OSHA – Crystalline silica and nickel oxide are not regulated as a carcinogens.

Germ cell mutagenicity

In vitro

product: No mutagenic components identified

In vivo

product: No mutagenic components identified

Reproductive toxicity

product: No components toxic to reproduction

Specific target organ

toxicity- single exposure

product: None known

Specific target organtoxicity- repeatedexposure product: None knownAspiration hazardproduct: Not classifiedOther effects: Not known**Section 12 – Ecological Information**ToxicityPersistence andDegradability: Not availableBioaccumulativePotential: Not availableMobility in SoilSoil/water partitioncoefficient: Not availableOther adverseeffects: Most of the ingredients in this product are naturally occurring minerals, and unless contaminated in service, are not hazardous to the environment**Section 13 – Disposal Considerations**Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14 – Transport Information

| | |
|---|---|
| <u>US DOT Shipping Name:</u> | Not regulated |
| <u>DOT Label:</u> | None |
| <u>UN/NA Number:</u> | None |
| <u>Canadian TGD Shipping Description:</u> | Not regulated as dangerous goods according to Canadian TDGA |
| <u>International Dangerous Goods Information:</u> | |
| <u>IMO:</u> | Not regulated as dangerous goods according to the IMDG Code |
| <u>ICAO:</u> | Not regulated as dangerous goods according to the IACO Technical Instructions |
| <u>IATA:</u> | Not regulated as dangerous goods according to the IATA Dangerous Goods Regs |

Section 15 – Regulatory Information

US Federal Regulations

| | |
|--|--------------------------------------|
| <u>TSCA 8(a) CDR Exempt/Partial exemption:</u> | Not applicable |
| <u>United States Inventory (TSCA 8b):</u> | This material is listed |
| <u>CERLA Hazardous Substance List (40 CFR 302.4):</u> | None present in regulated quantities |
| <u>SARA 302 Extremely Hazardous Substance:</u> | None present in regulated quantities |
| <u>SARA 304 Emergency Release Notification:</u> | Iron Oxide |
| <u>SARA 311/312 Hazardous Chemical:</u> | Iron Oxide, 500 lbs. TPQ |
| <u>SARA 313 (TRI Reporting):</u> | Iron Oxide |
| <u>Reporting threshold for other users:</u> | 10000 lbs. |
| <u>Reporting threshold for manufacturing and processing:</u> | 25000 lbs. |

Clean Air Act Section 112

(b) Hazardous Air

Pollutants (HAPs):

Not listed

Clean Water Act Section

311 Hazardous Substances

(40 CFR 117.3):

None present in regulated quantities

Clean Air Act Section 602

Class I Substances:

Not listed

Clean Air Act Section 602

Class II Substances:

Not listed

DEA List I Chemicals

(Precursor Chemicals):

Not listed

DEA List II Chemicals

(Essential Chemicals):

Not listed

Section 16 – Other Information

Issue Date: 6/1/2015

Revision Date: 6/1/2015

Version #: 1.0

DISCLAIMER – Atmosphere Dynamics Corp. believes the information contained in this Safety Data Sheet (SDS) to be accurate and reliable as of the date of issue, and is provided in good faith as a service to our customers and to comply with applicable laws. This document is intended as a guide for the safe handling, storage, and use of this material under normal conditions of use. No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which information refers. Atmosphere Dynamics Corp. does not accept any liability for any loss, injury, or damage resulting from the use of this product.