

SAFETY DATA SHEET

Section 1 - Identification

Manufacturer's Name & Address Telephone Number

Atmosphere Dynamics Corporation 317.392.6262

1107 St Joseph Street

Shelbyville, Indiana 46176 USA <u>FAX Number</u>

GHS Product Identifier 317.392.1773

Ammonia Dissociator Catalyst <u>Emergency Number</u>

Trade Names and Synonyms Call CHEMTREC:

Iron (Fe₂O₃) Impregnated Refractory 1.800.262.8200

Iron Catalyst Spheres

<u>Recommended Use</u> <u>Recommended Restrictions</u> <u>Product Numbers</u>

Catalyst None known ICS01

Section 2 – Hazard(s) Identification

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200)

Health Hazards: SPECIFIC TARGET ORGAN TOXICITY – Category 1

(Repeated Exposure)

CARCINOGEN – Category 1A

SENSITIZATION, SKIN / RESPIRATORY – Category 1

GHS Label Elements:



SAFETY DATA SHEET - Page 2 ICS01

Signal Word: DANGER

<u>Hazard Statement:</u> Health hazards, including cancer, may arise from inhalation of dust

generated from handling, ingestion and/or contact with skin and/or

eyes

<u>Prevention:</u> Do not breathe dust

Wash thoroughly after handling

Do not handle until all safety precautions have been read

Wear respiratory protection

Response: If exposed or concerned, get medical advice or attention

Storage: No precautions needed

Disposal: Dispose of contents in accordance with all local, regional, national,

and international regulations

Hazards not otherwise

Classified: None known

Section 3 – Composition / Information on Ingredients

Mixture

Ingredient Name	CAS Number	<u>%</u>
Aluminum Oxide, AL ₂ O ₃	1344-28-1	40-50
Silica, SiO ₂	7631-86-9	40-50
as Crystalline Quartz	14808-60-7	
as Crystalline Cristobalite	14464-46-1	
Iron Oxide, Fe ₂ O ₃	1309-37-1	5-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4 – First Aid Measures

Inhalation: Remove to fresh air. May give oxygen. Consult physician.

Eye Contact: Flush eyes with copious amounts of water, at least 15 minutes.

Skin Contact: Remove contaminated clothing. Wash skin thoroughly with soap and

water. Get medical attention if irritation or inflammation persists.

Ingestion: Induce vomiting if conscious. Consult physician.

Most important symptoms/effects, acute and delayed

Over-exposure signs/symptoms:

Inhalation: Inhalation of concentrations above the Occupational Exposure

Limits may cause congestion and irritation of the throat, nasal

passages and upper respiratory system.

Eye Contact: Temporary irritation and inflammation

Check for and remove any contact lenses If irritation persists, seek medical attention

Skin Contact: May cause allergic dermatitis

Ingestion: May cause stomach and intestinal distress

Indication of immediate medical attention

and special treatment needed: Medical conditions which may be aggravated by exposure

include upper respiratory and lung disease such as, but not

limited to, bronchitis, emphysema, and asthma.

Section 5 – Fire-fighting Measures

Specific hazards arising from the chemical: None known

<u>Hazardous Decomposition:</u> Decomposition products may include Crystalline Silica.

During initial exposure to service temperatures, smoke may be emitted which can cause transitory irritation to the lungs and upper respiratory system. Toxic fumes of nitrogen

oxides and metal oxides may be present during

decomposition.

SAFETY DATA SHEET - Page 4 ICS01

Special protective actions for firefighters: Material will not burn

No special firefighting equipment is necessary

Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

No action shall be taken involving any personal risk or without suitable training Provide adequate ventilation

Wear appropriate respirator when ventilation is inadequate

Put on appropriate personal protective equipment (see section 8)

Methods and materials for containment and cleaning up:

Contain spill. Pick up and place in container for disposal in accordance with Federal, State and Local laws.

Section 7 – Handling and Storage

<u>Precautions for safe handling:</u> Minimize dust generation. Use appropriate respiratory

protection if dust is present above exposure limits. Avoid

contact with eyes and skin.

<u>Conditions for safe storage:</u> Store in accordance with local regulations.

Store in a dry, cool and well ventilated area, away from

incompatible materials (see section 10).

Section 8 – Exposure Controls/Personal Protection

Occupational Exposure Limits:

US OSHA Permissible Exposure Limit:

Irritant (Nuisance) Dust: 5.0 mg/m³

Crystalline Silica (Respirable): 10 mg/m³

 $%SiO_2 + 2$

Crystalline Silica (Total Dust): 30 mg/m³

 $%SiO_{2} + 2$

Iron Oxide: 1.0 mg/m^3

SAFETY DATA SHEET - Page 5 ICS01

US ACGIH Threshold Limit Values:

Irritant (Nuisance) Dust: 3.0 mg/m³

Crystalline Silica: 0.025 mg/m³

Iron Oxide: 0.2 mg/m^3

Appropriate Engineering Controls: If user operations generate dust, use process

enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual Protection Measures:

Respiratory: Wear a NIOSH-approved dust mask to limit exposure.

Higher dust levels may require use of a half or full mask

respirator with dust filters.

Eye/Face: Wear safety glasses with side shields or goggles complying

with an approved standard to avoid exposure to dust.

Skin: Protective gloves complying with an approved standard should

be worn when handling chemical products.

Section 9 – Physical and Chemical Properties

<u>Appearance</u> Brown/Red Solid Spheres

Physical StateSolidColorBrown/RedOdorNone

Odor Threshold
pHNot ApplicableMelting Point2900-3400 Deg. F

Boiling PointN/AFlash PointNone

Burning Time Not Applicable

Specific Gravity N/A

Burning Rate Not Applicable Evaporation Rate 0 (butyl acetate = 1) Not Applicable Flammability (solid, gas) Lower Explosive (flammable) Limit Not Available Upper Explosive (flammable) Limit Not Available Vapor Pressure Not Applicable Vapor Density Not Applicable Relative Density Not Available

SAFETY DATA SHEET - Page 6 ICS01

SolubilityInsolubleSolubility in WaterInsolublePartition Coefficient: n-octanol/waterNot AvailableAuto-ignition TemperatureNot AvailableDecomposition TemperatureNot AvailableSADTNot AvailableViscocityNot Available

Section 10 – Stability and Reactivity

Reactivity: The product is stable and non-reactive under normal conditions

Chemical Stability: Stable under normal temperature conditions

Possibility of Hazardous Under normal conditions of storage and use, hazardous reactions

Reactions: or polymerization will not occur

Conditions to Avoid: Avoid strong acids and ammonium salts. Contact with strong

oxidizing agents (such as fluorine, chlorine trifluoride) may

present

a fire hazard.

<u>Incompatible Materials:</u> Hydrofluoric acid, fluorine, chlorine trifluoride, oxygen difluoride

Hazardous Decomposition

Materials: Nitrogen oxides and metal oxides may be present during

decomposition

Section 11 – Toxicological Information

Information on likely routes of exposure

Ingestion: May irritate and cause stomach pain, vomiting and diarrhea

Inhalation: May cause allergic respiratory reaction

Skin contact: May cause an allergic skin reaction

Eye contact: May irritate eyes

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product: No data available

Dermal Product: No data available

SAFETY DATA SHEET - Page 7 ICS01

Inhalation

Product: No data available

Repeated dose

toxicity product: No data available

Skin corrosion/

<u>irritation</u>

product: May cause skin irritation

Eye damage/ irritation

product: May cause temporary eye irritation

Respiratory or skin sensitization

product: May cause allergic skin reaction

Carcinogenicity

product: NTP- In its twelfth annual report on Carcinogens, respirable

crystalline silica and nickel oxide were classified as known human

carcinogens.

IARC (Volume 68) – There is sufficient evidence in humans for the carcinogenicity of nickel oxide and inhaled crystalline silica in the form of quartz or cristobalite from occupational sources.

OSHA - Crystalline silica and nickel oxide are not regulated as a

carcinogens.

Germ cell mutagenicity

In vitro

product: No mutagenic components identified

<u>In vivo</u>

product: No mutagenic components identified

Reproductive toxicity

product: No components toxic to reproduction

Specific target organ toxicity- single exposure

product: None known

SAFETY DATA SHEET - Page 8 ICS01

<u>Specific target organ</u> <u>toxicity- repeated</u>

exposure product: None known

Aspiration hazard

product: Not classified

Other effects: Not known

Section 12 – Ecological Information

Toxicity

Persistence and

Degradability: Not available

Bioaccumulative

Potential: Not available

Mobility in Soil

Soil/water partition

coefficient: Not available

Other adverse

<u>effects:</u> Most of the ingredients in this product are naturally occurring

minerals, and unless contaminated in service, are not hazardous to

the environment

Section 13 – Disposal Considerations

<u>Disposal Methods:</u> The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products

should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and

runoff and contact with soil, waterways, drains and sewers.

SAFETY DATA SHEET - Page 9

ICS01

Section 14 - Transport Information

<u>US DOT Shipping Name:</u> Not regulated

DOT Label: None

UN/NA Number: None

Canadian TGD Shipping

<u>Description:</u> Not regulated as dangerous goods according to Canadian

TDGA

International Dangerous Goods

Information:

IMO: Not regulated as dangerous goods according to the IMDG

Code

ICAO: Not regulated as dangerous goods according to the IACO

Technical Instructions

<u>IATA:</u> Not regulated as dangerous goods according to the IATA

Dangerous Goods Regs

Section 15 - Regulatory Information

US Federal Regulations

TSCA 8(a) CDR Exempt/Partial exemption: Not applicable

<u>United States Inventory (TSCA 8b):</u> This material is listed

CERLA Hazardous Substance List (40 CFR 302.4): None present in regulated quantities

<u>SARA 302 Extremely Hazardous Substance:</u> None present in regulated quantities

SARA 304 Emergency Release Notification: Iron Oxide

SARA 311/312 Hazardous Chemical: Iron Oxide, 500 lbs. TPQ

SARA 313 (TRI Reporting): Iron Oxide
Reporting threshold for other users: 10000 lbs.

Reporting threshold for manufacturing

and processing: 25000 lbs.

SAFETY DATA SHEET - Page 10 ICS01

Clean Air Act Section 112

(b) Hazardous Air

Pollutants (HAPs): Not listed

<u>Clean Water Act Section</u> 311 Hazardous Substances

(40 CFR 117.3): None present in regulated quantities

Clean Air Act Section 602

Class I Substances: Not listed

Clean Air Act Section 602

Class II Substances: Not listed

DEA List I Chemicals

(Precursor Chemicals): Not listed

DEA List II Chemicals

(Essential Chemicals): Not listed

Section 16 – Other Information

<u>Issue Date:</u> 6/1/2015

<u>Revision Date:</u> 8/30/2022

Version #: 1.3

<u>DISCLAIMER</u> – Atmosphere Dynamics Corp. believes the information contained in this Safety Data Sheet (SDS) to be accurate and reliable as of the date of issue, and is provided in good faith as a service to our customers and to comply with applicable laws. This document is intended as a guide for the safe handling, storage, and use of this material under normal conditions of use. No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which information refers. Atmosphere Dynamics Corp. does not accept any liability for any loss, injury, or damage resulting from the use of this product.